

# **SAFETY DATA SHEET**

REGISTER: Sep-19

Rev 9 - 03.06.2024

## **Maintenance Coat**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

**IDENTIFICATION OF THE SUBSTANCE OR MATERIALS** 

PRODUCT NAME	Maintenance Coat		
PRODUCT TYPE	Water-borne Paint		
USE**	Maintaining the coating on Condensate Pro / Primary Pro Insulation ONLY		
MANUFACTURER/DISTRIBUTOR**	SMARTOVATIONS LTD		
,	Unit 6 Barnfield Works		
	Hathersage		
	Hope Valley		
	\$32 1AE		
	01433 651007		
EMERGENCY INFORMATION	as above		
2 COMPOSITION/INFO	RMATION ON INGREDIENTS		
	t which, within the current knowledge of the supplier and in the classified as hazardous to health or the environment and hence require		
3 HAZARDS IDENTIFICA	TION		
Classification of substance or mixture	Product definition is Mixture.		
Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]	Not classified.		
Classification according to Directive 1999/45/EC [DPD]	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments		
Hazard Statements	No known significant effects or critical hazards		
General	Keep out of reach of children. Do not get in eyes, on skin or on clothing. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents and container in accordance with all local, regional, national and international regulations.		
Additional Information	Contains 3-iod-2-propynylbutylcarbamate and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2-methyl-2H-isothiazol-3-one		
4 FIRST-AID MEASURES			
INHALATION**	Move the exposed person to fresh air immediately. If not breathing or breathing is difficult provide artificial respiration or oxygen by trained personnel and seek urgent medical attention.		
SKIN CONTACT**	Remove affected person from the source of contamination and remove all contaminated clothing. Wash the skin immediately with soap and water. Seek medical attention if irritation persists.		
EYE CONTACT**	Immediately remove any contact lenses from the eyes. Promptly wash the eyes with plenty of water while lifting the eyelids and continue to rinse for 15 minutes. Seek medical attention if irritation persists.		



## **SAFETY DATA SHEET**

REGISTER: Sep-19

Rev 9 - 03.06.2024

## **Maintenance Coat**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

453/2010 - United Kingdom (UK)		
INGESTION**	DO NOT INDUCE VOMITING. Immediately remove affected person from source of exposure. If conscious rinse mouth thoroughly with water and give water to drink. Seek urgent medical attention.	
5 FIRE-FIGHTING MEASURES		
SUITABLE EXTINGUISHING MEDIA	Carbon dioxide, dry powder, foam, or fine water spray.	
Hazardous decomposition products	When exposed to high temperatures (i.e. in case of fire) harmful decomposition products may be formed:  Decomposition products may include the following materials: carbon oxides metal oxide/oxides	
SPECIAL FIRE FIGHTING PROCEDURES **	Cool containers exposed to heat from the fire with copious amounts of water until well after the fire is extinguished. Keep run-off water out of sewers and water ways.	
6 ACCIDENTAL RELEASE	MEASURES	
PERSONAL PRECAUTIONS **	Extinguish any ignition sources and provide adequate ventilation. Do not smoke. Clean up personnel should wear suitable overalls, gloves and respirator.	
ENVIRONMENTAL PRECAUTIONS	Prevent spillage from entering sewers and water ways. If the spillage enters sewers or water ways, inform the appropriate authorities in accordance with local regulations.	
SPILL CLEAN UP METHODS	Absorb spillage in vermiculite, dry sand or earth and place in to suitable containers	
7 HANDLING AND STOR	AGE	
7 HANDLING AND STOR HANDLING	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.	
	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate	
HANDLING STORAGE PRECAUTIONS **	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following	
HANDLING STORAGE PRECAUTIONS **	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C	
HANDLING  STORAGE PRECAUTIONS **  8 EXPOSURE CONTROLS	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C  AND PERSONAL PROTECTION  Where possible use LEV (local exhaust ventilation) or other ventilation measures to maintain atmospheric concentrations to as low a level as is	
HANDLING  STORAGE PRECAUTIONS **  8 EXPOSURE CONTROLS  ENGINEERING METHODS**	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C  AND PERSONAL PROTECTION  Where possible use LEV (local exhaust ventilation) or other ventilation measures to maintain atmospheric concentrations to as low a level as is reasonably practicable below the W.E.L.	
HANDLING  STORAGE PRECAUTIONS **  8 EXPOSURE CONTROLS  ENGINEERING METHODS**  RESPIRATORY EQUIPMENT **	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C  AND PERSONAL PROTECTION  Where possible use LEV (local exhaust ventilation) or other ventilation measures to maintain atmospheric concentrations to as low a level as is reasonably practicable below the W.E.L.  None required if used outside in fresh air or in well ventilated area	
HANDLING  STORAGE PRECAUTIONS **  8 EXPOSURE CONTROLS  ENGINEERING METHODS**  RESPIRATORY EQUIPMENT ** HAND PROTECTION	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C  AND PERSONAL PROTECTION  Where possible use LEV (local exhaust ventilation) or other ventilation measures to maintain atmospheric concentrations to as low a level as is reasonably practicable below the W.E.L.  None required if used outside in fresh air or in well ventilated area  Wear gloves  Wear full eye protection	
HANDLING  STORAGE PRECAUTIONS **  8 EXPOSURE CONTROLS  ENGINEERING METHODS**  RESPIRATORY EQUIPMENT **  HAND PROTECTION  EYE PROTECTION	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C  AND PERSONAL PROTECTION  Where possible use LEV (local exhaust ventilation) or other ventilation measures to maintain atmospheric concentrations to as low a level as is reasonably practicable below the W.E.L.  None required if used outside in fresh air or in well ventilated area  Wear gloves  Wear full eye protection	
HANDLING  STORAGE PRECAUTIONS **  8 EXPOSURE CONTROLS  ENGINEERING METHODS**  RESPIRATORY EQUIPMENT **  HAND PROTECTION  EYE PROTECTION  9 PHYSICAL AND CHEM	Avoid spillages, skin and eye contact. No smoking, keep away from sources of ignition, sparks and static discharges.when open Ensure adequate ventilation and avoid breathing vapours, use a suitably approved respirator if air contamination is above an acceptable level or above W.E.L. Where reasonably practicable use LEV (local exhaust ventilation). Keep separate from food and always wash hands after use.  Store in tightly closed original container in a cool dry place. Keep away from heat, sources of ignition and oxidisers. Do not store below the following temperature: 5 °C  AND PERSONAL PROTECTION  Where possible use LEV (local exhaust ventilation) or other ventilation measures to maintain atmospheric concentrations to as low a level as is reasonably practicable below the W.E.L.  None required if used outside in fresh air or in well ventilated area  Wear gloves  Wear full eye protection  ICAL PROPERTIES	



#### **SAFETY DATA SHEET**

REGISTER: Sep-19

Rev 9 - 03.06.2024

#### **Maintenance Coat**

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)

· · · · · · · · · · · · · · · · · · ·		
0°C This is based on data for the following ingredient: water		
100°C		
Non-flammable		
10 STABILITY AND REACTIVITY		
The product is stable.		
No specific data.		
Under normal conditions of storage and use, hazardous reactions will not occur.		
11 TOXICOLOGICAL INFORMATION		
Irritating to the skin, mucous membranes and eyes.		
INHALATION: May cause irritation to the respiratory system. Vapours maycause nausea, sickness and headaches. SKIN CONTACT: Product has a de-moisturising effect on the skin. EYE CONTACT: Irritating to the eyes and reversible damage.		
Inhalation. Skin absorption.		
12 ECOLOGICAL INFORMATION		
Do not allow to enter into drains or watercourses.		
13 DISPOSAL CONSIDERATIONS		
Do not allow to enter into drains or watercourses.		
The generation of waste should be avoided or minimised wherever possible. Residues of the product is listed as hazardous waste. Dispose of according to all state and local applicable regulations. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.		
TION		
ding to national regulation or ADR for transport by road, RID for transport by IATA for transport by air		

	UN no	Enviromental Hazards
ADR/RID Class	Not regulated.	NO
IMDG Class	Not regulated.	NO
IATA Class	Not regulated.	NO

Boxes of 8	Transport in original box / packaging	
Single tin	Transport securely in upright position	
	Lid tightly secured	

#### Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



